Home ▶ Equipment ▶ Tractors ▶ Compact Tractors ▶ 2000 Platform Compact Tractors (25-40 hp) ▶ CT2025

CT2025

Compact Tractor











This 25-hp compact tractor provides hydrostatic transmission (HST) or manual-shift transmission (MST) options.

- Strong enough for big jobs but small enough to fit into tight areas
- Open workstation with Roll-Over Protective Structure (ROPS)
- Category 1 three-point hitch for using implements
- Integrated loader joystick lever makes front-end loader work easier
- Standard rear PTO/optional mid-PTO

Starting at

\$19,023 USD* - Manual Transmission \$20,612 USD* - Hydrostatic Transmission

Free Front-End Loader*

Special Offers

\$226/month USD* - Manual Transmission \$245/month USD* - Hydrostatic Transmission

0% for 84 months*

Build & Quote

Search Inventory

Contact Dealer

View Offers

Find Dealer

Download Brochure

CT2025 Overview

- Count on rugged performance, power, comfort and all-around versatility for small farms, ranches and acreages with the economical CT2025 compact tractor.
- With standard four-wheel drive, this tractor is ideal for hauling material, digging holes, mowing and using implements.
- Climb on and off the tractor with ease thanks to the open cab.
- Pick the controls that fit your working style. The CT2025 offers options for 3-Range hydrostatic transmission or manual-shift transmission
- The integrated joystick lever is within easy reach and makes the font-end loader respond intuitively to your command.

CT2025 Specs & Compare

▲ CT2025 Key Specifications	
CT2025 HST	CT2025 MST
Horsepower	
24.5 hp	24.5 hp
Lift Capacity at 24" behind Lift Point	
1,631 lb	1,631 lb
PTO HP	
21.8 hp	22.2 hp
Transmission Type	
Infinite, 3 Range Hydrostatic	Manual (9x3)
Width	
63.4 in	63.4 in
Turning Radius	
8' 0"	8' 0"
Wheelbase	
5' 5"	5' 5"

1,631 lb

Live

540

PTO HP

21.8 hp

1976

Mid PTO - RPM

Rear PTO System

Rear PTO - RPM

24, 3:33 PM	CT2025 Compact Tractor (Specs & Features) - Bobcat Company	
- Engine	Engine Engine	
CT2025 HST	CT2025 MST	
Emissions Tier (EPA)		
Tier 4	Tier 4	
Horsepower		
24.5 hp	24.5 hp	
Displacement		
100 in ³	100 in ³	
Number of Cylinders		
3	3	
Gross HP		
24.5 hp	24.5 hp	
Engine Model		
3A165LWM(H)	3A165LWM(H)	
Performance		
CT2025 HST	CT2025 MST	
Operating Weight		
2,634 lb	2,634 lb	
Travel Speed		
9.5 mph	9 mph	
Travel Speed - Reverse		
8.5 mph	6 mph	
3-Point Hitch		
Category 1	Category 1	
3-pt Lift Control Type		
Hydraulic Position Control System	Hydraulic Position Control System	
Lift Capacity at 24" behind Lift Point		

1,631 lb

Live

540

22.2 hp

1976

▲ Capacities	
CT2025 HST	CT2025 MST
Fuel Tank	
9 gal	9 gal


▲ Hydraulic System	
CT2025 HST	CT2025 MST
Implement Hydraulic Flow	
6.9 gal/min	6.9 gal/min
Total Hydraulic Flow	
11.4 gal/min	11.4 gal/min
Steering Hydraulic Flow	
4.5 gal/min	4.5 gal/min

→ Drive System	
CT2025 HST	CT2025 MST
Brake Type	
Wet Multi-Disc	Wet Multi-Disc
Transmission Type	
Infinite, 3 Range Hydrostatic	Manual (9x3)

▲ Dimension	
CT2025 HST	CT2025 MST
Width	
63.4 in	63.4 in
Ground Clearance	
11.5 in	11.5 in
Turning Radius	
8' 0"	8' 0"
Wheelbase	
5' 5"	5' 5"
Front Tire Size	
Front Industrial (AG, Turf) 25X8.5-14 (7-16, 27X8.5-15)	Front Industrial (AG, Turf) 25X8.5-14 (7-16, 27X8.5-15)
Rear Tire Size	
Rear Industrial (AG, Turf) 15-19.5 (11.2-24, 41X14-20)	Rear Industrial (AG, Turf) 15-19.5 (11.2-24, 41X14-20)

▲ Loader Attachment	
CT2025 HST	CT2025 MST
Loader Lift Height	
7' 10"	7' 10"

Lift Capacity at Bucket Pivot	
1,369 lb	1,369 lb
Bucket Width	
5' 0"	5' 0"



DOOSAN

Bobcat Company is a member of the Doosan Group. Doosan is a global leader in construction, grounds maintenance and material handling equipment, power and water solutions, and engineering that has proudly served customers and communities for more than a century.

Bobcat®, the Bobcat logo, the colors of the Bobcat machine and various other product names referenced on this website are trademarks of Bobcat Company in the United States and various other countries.

©2024 Bobcat Company. All rights reserved.